

## Setting up POP3 protocol

1. Click [Account Settings].

$\boxtimes$		Search CTRL + K		Q		= ×
A	🗘 🕂 New Message 🚥	🛅 unified folder				Account Settings
	<ul><li>ご Unified Folder</li><li>前 Trash</li><li>図 Outbox</li></ul>	Q. Search messages th	Manage message filters			
Q		Choose What to Set Up				
		🖂 Email	Address Book	🔲 Calendar	荣 Chat	
		🔗 Filelink	Feeds	Newsgroups		
		Import from Another Prog	gram			
		Thunderbird lets you import m filters from other mail program	nail messages, address book ns and common address boo	entries, feed subscriptions, setti k formats.	ngs, and/or	
尊		3 Import				
←	(•) Done					~

## 

X	5	iearch [TRE + K Q = ×
A	🗅 unified folder	Account Settings ×
	✓ ☐ Unified Folder Junk Settings Disk Space Ø Outaoing Server (SMTP)	Account Settings The following is a special account. There are no identities associated with it. Account <u>N</u> ame: Unified Folder
	Add Mail Account Add Chat Account Add Eeed Account Add Newsgroup Account	Message Storage Empty Trash on Exit Message Store Type: File per folder (mbox) ~
	Set as Default Remove Account Account Actions	Local Directory: C:\Users\User\AppData\Roaming\Thunderbird\Profiles\t8j68juo.default-release\Mail\Local Fr
<i>©</i>	Add-ons and Themes	



3. Please enter your name, email address, and password,

then click [Configure manually].

$\bowtie$		Search CTRL + K		۹		≡	-	×
A	🗈 unified folder	Account Settings	×	🖾 Account Setup	×			
	Set Up Your To use your current em Thunderbird will autom Thunderbird will autom Your full name Email address b02234567@ntu.edu Password 	Existing Email Address ail address fill in your credentials. atically search for a working and recommended atically search for a working and recommended tw	d serve	r configuration. r configuration.	J.			^
¢ ≁	Configure manually	Cancel	Contin	lue				~

- 4. Please fill in the information for the **[**INCOMING SERVER**]** :
  - Protocol : POP3
  - Hostname : mail.ntu.edu.tw
  - Port : 995
  - Connection security : SSL/TLS
  - Authentication method : Normal password
  - Username : username ( Do not include "@ntu.edu.tw" )

Server settings							
INCOMING SERVER							
Protocol:	POP3	$\sim$					
Hostname:	mail.ntu.edu.tw						
Port:	995						
Connection security:	SSL/TLS	$\sim$					
Authentication method:	Normal password	~					
Username:	b02234567						



- 5. Please fill in the information for the **[**OUTGOING SERVER**]** :
  - Hostname : mail.ntu.edu.tw
  - Port : 587
  - Connection security : STARTTLS
  - Authentication method : Normal password
  - Username : username ( Do not include "@ntu.edu.tw" )

then click [Done].

Hostname:	mail.ntu.edu.tw	
Port:	587	
Connection security:	STARTTLS	$\sim$
Authentication method:	Normal password	$\sim$
Username:	b02234567	
	Advanced	config
Re-test	Cancel Do	one

4. Account successfully created, then click [Account settings].

X	Search	<u>CTRL</u> + K		Q		≡	-	×
A	🗅 Unified Folder	Account Settings     Account Setings     Account Settings     Account Settings     Ac	× 🖾 A	ccount Setup	×			
	✓ Account succes You can now use this account wit You can improve the experience	Sfully created n Thunderbird. by connecting related services and co	nfiguring adva	anced account settings				^
	b02234567@ntu.edu	tw	POP3					
	<ul><li>Account settings</li><li></li></ul>	<ul> <li></li></ul>	otion aries	**	® 📀			
	Connect your linked serv Setup other services to get the most	/ICES out of your Thunderbird experience.		Not sure abo	out your next steps?			
	飌 Connect to a CardDAV a	ddress book		<u>Getting started</u> - <u>Sup</u>	port forum - Privacy po	<u>olicy</u>		
	🚇 Connect to an LDAP add	ress book						1
	🛱 Connect to a remote cal	endar						
¢		inish						1
←	((0))							~



Click [Server Settings], check [Leave messages on server] and check [Until I delete them].

$\bowtie$	Search	CTRL + K	Q	≡	-		×
A	🛅 unified folder	Account Settings ×	🖂 Account Setup	×			
	✓ ☑ b02234567@ntu.edu.tw Server Settings Copies & Folders Composition & Address Junk Settings Disk Space End-To-End Encryption Beturn Bereints	Server Settings	10 🔷 minutes Jes				^
Ø	<ul> <li>✓ ➡ Unified Folder</li> <li>Iunk Settinge</li> <li>Account Actions</li> <li>✓</li> <li>Inderbird Settings</li> <li>Add-ons and Themes</li> </ul>	Until I <u>d</u> elete them Message Storage Empty Trash on Exit Message Store Type: File per folder (not set the se	nbox) 🗸 a\Roaming\Thunderbird	\Profiles\t8j68juo.default-release	Ad <u>v</u> ance <u>B</u> row:	ed	
l←	((o)) b02234567@ntu.edu.tw: There are no ne	w messages.			_		~